

Fujitsu Enterprise Postgres 15



Hardware requirements



Table of contents

- Operating system requirements
- Hardware requirements
- Sample server configuration
- Operator system requirements
- Appendix: Estimating resources

This document provides a basic estimate of hardware requirements considering a few factors. For a more accurate estimate taking into account more variables, refer to the technical documentation on our website as indicated in slide 9.

● Operating system

		Fujitsu Enterprise Postgres	Fujitsu Enterprise Postgres on IBM LinuxONE	Fujitsu Enterprise Postgres on IBM Power®
Database server	RHEL	9.0 / 8.2 / 7.4	9.0 / 8.2	9.0 / 8.4
	SLES	15 SP3 / 12 SP5	15 SP3	15 SP3
	Windows Server	2022 / 2019 / 2016	-	-
Client computer	RHEL	9.0 / 8.2	9.0 / 8.2	9.0 / 8.4
	SLES	15 SP3	15 SP3	15 SP3
	Windows Server	2022 / 2019 / 2016	-	-
	Windows	11 / 10	-	-

Hardware requirements

● Minimum value

		Fujitsu Enterprise Postgres	Fujitsu Enterprise Postgres on IBM LinuxONE	Fujitsu Enterprise Postgres on IBM Power®	
Database server	Memory	512 MB		512 MB	
	Disk space *	RHEL	1,785 MB	291 MB	553 MB
		SLES	664 MB		
		Windows	1,866 MB		
Client computer	Memory	160 MB		160 MB	
	Disk space *	RHEL	483 MB	115 MB	112 MB
		SLES	192 MB		
		Windows	1,236 MB		



* Disk space required for Installation

● Supported system environment

Network	TCP Internet Protocol version 4 and 6 (IPv4 and IPv6)		
File system	Linux	File systems with POSIX-compliant interface. Recommended: ext4	
	Windows	NTFS	

Sample server configuration

- Fujitsu Enterprise Postgres can be configured as a single server for small scale or development environments, or as a highly available multiple server system configuration.



In addition to the space required to install the Fujitsu Enterprise Postgres, additional space is required to store the database. Table size, Index size, Transaction log space, Archive log space, Backup disk space, etc.

Operator system requirements

- Available as a multi-architecture container built for **x86**, **s390x** and **ppc64le**

Supported platforms

FEP Operator is tested on the following platforms

Service	Platform
Self-managed Kubernetes Service	<ul style="list-style-type: none">Red Hat OpenShift Container Platform 4.10 - 4.11Rancher Kubernetes Engine (on Linux hosts)VMware Tanzu Kubernetes Grid v1.6SUSE Rancher 2.7
Full-managed Kubernetes Service	<ul style="list-style-type: none">Red Hat OpenShift Service on AWSRed Hat OpenShift on IBM CloudAzure Red Hat OpenShiftAzure Kubernetes Service *Amazon Elastic Kubernetes Service *IBM Cloud Kubernetes Service *Alibaba Cloud Container Service for Kubernetes *Google Kubernetes Engine *

* Kubernetes 1.24 - 1.26

Supported storage

Category	Storage
Type/interface	<ul style="list-style-type: none">Container Storage InterfaceNFSRed Hat OpenShift Container Storage
Cloud Service	<ul style="list-style-type: none">Azure Blob StorageAmazon S3Google Cloud Storage

Appendix :

Estimating resources

- Estimating database disk space requirements
- Estimating memory requirements

Estimating database disk space requirements

- In addition to tables and indexes, you should estimate disk space for other files such as transaction logs and archive logs.




Table size

X¹ : Record length = Record header section + NULL map + OID + column data
X² : Page size requirement = Page length × fillfactor - Page header
X³ : Number of records per page = $X^2 / (X^1 + \text{Pointer length})$
X⁴ : Number of pages required for storing records = Total number of records / X^3
Amount of space = $X^4 \times \text{page length} \times \text{safety factor}$

Index size

Y¹ : Entry length = Entry header + key data length
Y² : Page size requirement = Page length × fillfactor - Page header - Special data
Y³ : Number of entries per page = $Y^2 / (Y^1 + \text{Pointer length})$
Y⁴ : Number of pages required for storing indexes = Total number of records / Y^3
Space requirement = $Y^4 \times \text{Page length} / \text{usage rate}$

Transaction log space Value of the *max_wal_size* parameter

Archive log space Varies depending on the duration of the backup and the contents of the update transaction. To estimate the required space, use a test environment to simulate backup scheduling and database update.

Backup disk space **Backup disk space requirements** = Size of the database cluster × 2
+ Transaction log space requirements
+ Archive log space requirements

:

- Estimate the shared memory shared by all server processes and the process memory allocated by back-end processes.

Shared memory

Refer to "Shared Memory and Semaphores" under "Server Administration" in the PostgreSQL Documentation for information on shared memory.

Local memory

Z¹ : Process stack area

$$= \text{max_stack_depth} \times (\text{max_connections} + \text{autovacuum_max_workers} + 9)$$

Z² : Memory used in database sessions that use temporary tables

$$= \text{temp_buffers} \times \text{max_connections}$$

Z³ : Memory used in database sessions that perform sort and hash table operations

$$= \text{work_mem} \times \text{max_connections}$$

Z⁴ : Memory used in maintenance operations

$$= \text{maintenance_work_mem} \times (\text{numOfSessionsPerformingMaintenance} + \text{autovacuum_max_workers})$$


Z⁵ : Base memory used in each process

$$= \text{baseMemoryUsedInOneProcess} \times (\text{max_connections} + \text{autovacuum_max_workers} + 9)$$

Z⁶ : Memory used prepare data access

$$= \text{variationAmount} \times (\text{max_connections} + \text{autovacuum_max_workers} + 4)$$

$$\text{localMemoryAmount} = Z^1 + Z^2 + Z^3 + Z^4 + Z^5 + Z^6$$



Reference

For more, see the online manual fast.fujitsu.com/product-manuals 

Fujitsu Enterprise Postgres 15



Installation and Setup Guide for Server

- Chapter 2: Operating Environment
- Appendix D: Configuring Parameters
- Appendix E: Estimating Database Disk Space Requirements
- Appendix F: Estimating Memory Requirements

Fujitsu Enterprise Postgres 15 on IBM LinuxONE



Fujitsu Enterprise Postgres 15 on IBM Power®



Fujitsu Enterprise Postgres 15 for Kubernetes



User's Guide

- Chapter 1: System Requirements
-

This document provides a basic estimate of hardware requirements considering a few factors. For a more accurate estimate taking into account more variables, refer to the technical documentation on our website as indicated above.

Fujitsu Enterprise Postgres

For more, visit our website at fast.fujitsu.com 

© Fujitsu Limited 2023. Fujitsu, the Fujitsu logo and Fujitsu brand names are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries. Other company, product and service names may be trademarks or registered trademarks of their respective owners. All rights reserved. No part of this document may be reproduced, stored or transmitted in any form without prior written permission of Fujitsu Limited. Fujitsu Limited endeavors to ensure the information in this document is correct and fairly stated but does not accept liability for any errors or omissions.

Published: 23-05-23 WW EN