

FUJITSU Software Enterprise Postgres Bug Fix Guide



Preface

Purpose of this document

This document is the guide to apply bug fixes using Software Delivery Management System.

Intended readers

This document is intended for those who use Software Delivery Management System.

Readers of this document are assumed to have general knowledge of:

- FUJITSU Enterprise Postgres
- Linux
- Windows

Target Products

[Linux]

| product for installation | Configuration package Prefix |
|--|---|
| FUJITSU Enterprise Postgres Advanced Edition | FJSVfsep-SV FJSVfsep-SV-ORJ(*1)(*2) FJSVfsep-SV-OPJ(*1) (*2) FJSVfsep-SV-CM FJSVfsep-AUDIT FJSVfsep-ULOG(*2) |
| FUJITSU Enterprise Postgres Client | FJSVfsep-CL FJSVfsep-CL-CM FJSVfsep-JDBC FJSVfsep-ODBC |
| FUJITSU Enterprise Postgres WebAdmin | FJSVfsep-WAD FJSVfsep-WAD-ORJ(*1) (*2) FJSVfsep-WAD-OPJ(*1) (*2) |
| FUJITSU Enterprise Postgres Pgpool-II | FJSVfsep-POOL2 |
| FUJITSU Enterprise Postgres Server Assistant | FJSVfsep-ARB FJSVfsep-ARB-ORJ(*1) (*2) FJSVfsep-ARB-OPJ(*1) (*2) |

(*1) One of the *-ORJ /*- OPJ is installed.

(*2) It is not installed in a SUSE environment.

[Windows]

| product for installation | Configuration package Prefix |
|---|--|
| FUJITSU Enterprise Postgres Advanced Edition(64bit) | FJSVfsep-SV FJSVfsep-SV-ORJ(*1) FJSVfsep-SV-OPJ(*1) FJSVfsep-AUDIT |
| FUJITSU Enterprise Postgres Client(32bit) | FJSVfsep-CL FJSVfsep-DOTNET FJSVfsep-JDBC FJSVfsep-Npgsql FJSVfsep-ODBC FJSVfsep-ADMIN4 |
| FUJITSU Enterprise Postgres Client(64bit) | FJSVfsep-CL FJSVfsep-DOTNET FJSVfsep-JDBC FJSVfsep-Npgsql FJSVfsep-ODBC FJSVfsep-ADMIN4 |
| FUJITSU Enterprise Postgres WebAdmin(64bit) | FJSVfsep-WAD FJSVfsep-WAD-ORJ(*1) FJSVfsep-WAD-OPJ(*1) |
| FUJITSU Enterprise Postgres Server Assistant(64bit) | FJSVfsep-ARB FJSVfsep-ARB-ORJ(*1) FJSVfsep-ARB-OPJ(*1) |

(*1) One of the *-ORJ /*- OPJ is installed.

Structure of this document

This document is structured as follows:

Applying a bug fix (RPM Package/MSI Package)

- This section describes how to apply a product package.

Download a notification file

- This section describes how to download a notification file.

Export restrictions

- Export/release of this document may require necessary procedures in accordance with the regulations of your resident country and/or US export control laws.

Issue date and version

| |
|--------------------------|
| Edition 1.0: August 2021 |
| Edition 2.0: June 2022 |
| Edition 3.0: July 2024 |
| Edition 4.0 May 2025 |

Copyright

- Copyright 2021-2025 FUJITSU LIMITED

Contents

| | |
|---|----|
| Chapter 1 Apply a bug fix (RPM package) | 5 |
| 1.1 Set Me Up..... | 5 |
| 1.1.1 Set Me Up for CUI client | 5 |
| 1.2 Package operations with CUI | 6 |
| 1.2.1 List available packages..... | 6 |
| 1.2.2 Update a package to a specific version | 7 |
| 1.2.3 Check for updated packages..... | 8 |
| 1.3 Package operations using downloaded RPM..... | 9 |
| 1.3.1 Download package with GUI | 9 |
| 1.3.2 Download a package with CUI..... | 11 |
| 1.3.3 Update a package using the downloaded RPM | 12 |
| 1.3.4 Check for updated packages..... | 12 |
| 1.4 Other operations | 13 |
| 1.4.1 Rollback a package..... | 13 |
| 1.4.2 Rollback a package using downloaded RPM | 14 |
| Chapter 2 Apply a bug fix (MSI package) | 15 |
| 2.1 Package operations using downloaded MSI | 15 |
| 2.1.1 Download package with GUI | 15 |
| 2.1.2 Update a package using the downloaded MSI..... | 17 |
| 2.2 Other operations | 26 |
| 2.2.1 Rollback a package..... | 26 |
| Chapter 3 Critical patch updates and important information regarding FUJITSU Enterprise Postgres... .. | 27 |



Chapter 1 Apply a bug fix (RPM package)

If you are using the GUI to work with downloaded packages, refer to "Download package with GUI" and later of this document.

This chapter uses FUJITSU Enterprise Postgres 12 as an example.

1.1 Set Me Up

This section describes how to use Set Me Up for CUI operation.

This feature helps you with the steps to set up the repo configuration for the following CUI package manager on a target machine.

- yum in RHEL
- zypper in SLES

1.1.1 Set Me Up for CUI client

The CUI operation is described below:

Click **Artifactory** > **Artifacts** to show Artifacts Repository Browser page.

Locate and select an RPM package in **Tree Browser**.

Click **Set Me Up** to open **Set Me Up** pop-up window.

Configure the Identity Token, edit the repo file, and then enable the repository, following the instructions in the "Set me up" section.

1.2 Package operations with CUI

This section describes package operations with CUI, including:

- List available packages
- Update a package
- Check for updated packages

Note

- RHEL
 - It is assumed that a repo for yum is configured on the target machine to access packages on Software Delivery Site (refer to "Set Me Up for CUI client" for details).
 - You need root privilege to perform all yum operations, except for yum list.
 - You can optionally include `--disablerepo="*" --enablerepo=<FEP repo name>` in yum command-line if you want to exclude other repo configuration files.

Example:

```
sudo yum --disablerepo="*" --enablerepo="Artifactory" --showduplicates list FJSV*
```

- SLES
 - It is assumed that a repo for zypper is configured on the target machine to access packages on Software Delivery Site (refer to "Set Me Up for CUI client" for details).
 - You need root privilege to perform all zypper operations.

1.2.1 List available packages

This section describes how to list available packages.

Note

If you want to check the information of the updated package, the details can be referred to in the notification file. "Download a notification file" explains how to download the notification file.

RHEL procedure

To list the latest version of a package, use `yum list available <pkg-name-pattern>`.

```
# yum list available
Available Packages
FJSVfsep-SV-12.x86_64          1200-4.el7          Artifactory
```

To list all versions of a package, use `yum -showduplicates list available <pkg-name-pattern>`.

```
# yum --showduplicate list available
Available Packages
FJSVfsep-SV-12.x86_64          1200-2.el7          Artifactory
FJSVfsep-SV-12.x86_64          1200-3.el7          Artifactory
FJSVfsep-SV-12.x86_64          1200-4.el7          Artifactory
```


SLES procedure

To list all version of a package, use `yum list available "zypper se -s --repo <repo-name>"`.

```
# zypper se -s --repo Artifactory
Loading repository data...
Reading installed packages...
S | Name                | Type   | Version | Arch   | Repository
-----+-----+-----+-----+-----+-----
 | FJSVfsep-SV-12     | package | 1200-3  | x86_64 | Artifactory
 | FJSVfsep-SV-12     | package | 1200-2  | x86_64 | Artifactory
 | FJSVfsep-SV-12     | package | 1200-1  | x86_64 | Artifactory
```

1.2.2 Update a package to a specific version

Keep the version of the product installed on the target machine before updating the package. This is required in order to verify which packages are applicable.

If you have installed FEP in a location other than the default, follow the instructions in Section '1.3 Package operations using downloaded RPM' to upgrade. For local / offline update of packages, follow the instructions in Section '1.3.3 Update a package using the downloaded RPM'.

RHEL procedure

Use `yum list installed | grep <pkg-name-pattern>`.

Get the version of the installed package.

```
# yum list installed | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1200-3.el7.x86_64
```

To update a package, use `yum update <pkg-name-pattern>-<version> ..`

```
# yum update FJSVfsep-SV-12-1200-3.el7
Loaded plugins: langpacks, product-id, search-disabled-repos, subscription-manager
This system is not registered with an entitlement server. You can use subscription-manager to register.
Resolving Dependencies
--> Running transaction check
--> Package FJSVfsep-SV-12.x86_64 0:1200-2.el7 will be updated
--> Package FJSVfsep-SV-12.x86_64 0:1200-3.el7 will be an update
--> Finished Dependency Resolution

Dependencies Resolved

=====
Package...          Arch...  Version...  Repository...  Size
=====
Updating:
FJSVfsep-SV-12...  x86_64...  1200-3.el7...  Artifactory...  5.2 k

Transaction Summary
=====
Upgrade 1 Package

Total download size: 5.2 k
Is this ok [y/d/N]: y
Downloading packages:
No Presto metadata available for Artifactory
FJSVfsep-SV-12-1200-3.el7.x86_64.rpm... | 5.2 kB  00:00:00
```



```
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Updating   : FJSVfsep-SV-12-1200-3.el7.x86_64... 1/2
  Cleanup   : FJSVfsep-SV-12-1200-2.el7.x86_64... 2/2
  Verifying  : FJSVfsep-SV-12-1200-3.el7.x86_64... 1/2
  Verifying  : FJSVfsep-SV-12-1200-2.el7.x_86_64... 2/2

Updated:
  FJSVfsep-SV-12.x86_64 0:1200-3.el7

Complete!
```

SLES procedure

Get the version of the installed package.

```
# rpm -qa | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1200-2.s12.x86_64
```

To update a package to specific version, use `zypper up <pkg-name-pattern>-<version>`.

```
# zypper up FJSVfsep-SV-12-1200-3
Loading repository data...
Reading installed packages...
Resolving package dependencies...

The following package is going to be upgraded:
  FJSVfsep-SV-12

The following package has no support information from it's vendor:
  FJSVfsep-SV-12

1 package to upgrade.
Overall download size: 331.5 KiB. Already cached: 0 B. No additional space
will be used or freed after the operation.
Continue? [y/n/...? shows all options] (y): y
Retrieving package FJSVfsep-SV-12-1200-3.x86_64
                                     (1/1), 331.5 KiB (921.3 KiB unpacked)
Retrieving: FJSVfsep-SV-12-1200-3.x86_64.rpm .....[done]

Checking for file conflicts: .....[done]
(1/1) Installing: FJSVfsep-SV-12-1200-3.x86_64 .....[done]
```

Note

For rollback, you need the package name and version of the installed product.

1.2.3 Check for updated packages

This section describes how to verify that the package has been updated correctly.

To check for the updated package, use `rpm -qa | grep <pkg-name>`.

```
# rpm -qa | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1200-3.el7.x86_64
```

1.3 Package operations using downloaded RPM

This section describes package operations using the downloaded RPM, including:

- Download a package with GUI
- Download a package with CUI
- Update a package using the downloaded RPM
- Check for updated packages

1.3.1 Download package with GUI

This section describes how to download an RPM package with GUI operation. See section 1.3. 2 for how to download with yum client.

1.3.1.1 Locate an RPM package


There are two options to locate an RPM package from Artifacts:

- Search Artifacts
- Browse Artifacts

1.3.1.2 Search Artifacts

This section describes how to search Artifacts.

- Locate Search Bar at the top of JFrog UI window.



- Enter the text to match the RPM package (e.g., postgresql12*).
- Select the RPM package from search result list.
- Click the link to selected to view the package details in the **Artifacts Tree** page.

Note

Free text search supports * and ? wildcards to help you narrow down your search.

For example, when searching for a package named FJSVfsep-SV-12-1200-0.el7.x86_64.rpm, typing FJSVfsep-SV-12*or FJSVfsep-SV-12*el7.x86_64.rpm will return a list of matching packages as a result.

1.3.1.3 Browsing Artifacts

This section describes how to browse Artifacts.

- Click **Artifactory > Artifacts** - this will open the **Artifacts Repository Browser** page.
- You can browse through repositories via mode below:

Tree browsing mode shows repositories as a tree

- Expand the nodes in a tree to locate an RPM package.
- Click to select and show the package details .

1.3.1.4 View an RPM package

This section describes how to view details of an RPM package.

Follow the steps below to view an RPM package.

Locate and select an RPM package to show the package details page.

Click **General** tab to view the summary of the package.

Click **Rpm Info** tab to view details of the package, including the information below:

- Package Info
- Provides
- Change Log

Click **Propertires** tab to view the metadata of the package.

Note

Copy <PATH_TO_REPODATA_FOLDER> required in the Set Me Up section by following the steps below:

1. Select the immediate parent folder of the selected package from Tree Browser.
2. Locate **Repository Path:** and click **Copy to clipboard** to copy the patch.
Example: EnterprisePostgres_AE_x86_64_patch/12/RHEL7/
3. Replace <PATH_TO_REPODATA_FOLDER> with 12/RHEL7.

1.3.1.5 Download an RPM package

Follow the steps below to download an RPM package.

- Locate and select the RPM package.

Click **Download** and follow the instructions on the browser to save the package locally.

1.3.2 Download a package with CUI

This section describes how to download a package with CUI.

RHEL procedure

To download a package, use `yum install --downloadonly --downloaddir=<download-dir> <pkg-name-pattern>`.

```
# yum install --downloadonly --downloaddir=~/.RPM_DIR FJSVfsep-SV-12
Loaded plugins: langpacks, product-id, search-disabled-repos, subscription-manager
This system is not registered with an entitlement server. You can use subscription-manager to register.
Artifactory... | 964 B 00:00:00
Resolving Dependencies
--> Running transaction check
--> Package FJSVfsep-SV-12.x86_64 0:1201-0.el7 will be updated
--> Package FJSVfsep-SV-12.x86_64 0:1201-4.el7 will be an update
--> Finished Dependency Resolution

Dependencies Resolved

=====
Package...      Arch...  Version...  Repository...  Size
=====
Updating:
FJSVfsep-SV-12... x86_64... 1200-4.el7... Artifactory... 33 M

Transaction Summary
=====
Upgrade 1 Package

Total download size: 33 M
Background downloading packages, then exiting:
No Presto metadata available for Artifactory
FJSVfsep-SV-12-1200-4.el7.x86_64.rpm... | 33 MB 00:00:04
exiting because "Download Only" specified
```

SLES procedure

To download a package (specific version), use `zypper download <pkg-name>-<version>`.

```
# zypper download FJSVfsep-SV-12-1201-4
Loading repository data...
Reading installed packages...
Retrieving package FJSVfsep-SV-12-1201-4.x86_64... (1/1), 331.5 KiB (921.3 KiB unpacked)
(1/1) /var/cache/zypp/packages/Artifactory/FJSVfsep-SV-12-1201-4.s390x.rpm .....[done]

download: Done.
```

Note

Be sure to comply with the data download limit of Fujitsu during your download activity.

1.3.3 Update a package using the downloaded RPM

This section describes how to update a package to a specific version from a downloaded RPM.

Copy the RPMs to the target machine before updating a package.

Keep the version of the product installed on the target machine before updating the package. In case of rollback, use `rpm -qa | grep <pkg-name-pattern>`.

RHEL and SLES procedure

Get the version of the installed package.

```
# rpm -qa | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1200-1.x86_64
```

Use the command below to update the package. If you have changed the installation directory to something other than the default, specify [--prefix=installation directory].

```
#rpm -U FJSVfsep-SV-12-1200-4.x86_64.rpm
```

1.3.4 Check for updated packages

This section describes how to verify that the package has been updated correctly.

To check for the updated package, use `rpm -qa | grep <pkg-name-pattern>`.

```
# rpm -qa | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1200-4.x86_64
```

1.4 Other operations

This section describes package operations with CUI, including:

- Rolling back a package with yum clients
- Rolling back a package using downloaded RPM

1.4.1 Rollback a package

This section describe how to rollback a package with CUI.

If you have installed FEP in a location other than the default, follow the instructions in Section '1.3 Package operations using downloaded RPM' to rollback.

RHEL procedure

To rollback a package, use `yum downgrade <old-pkg-name>-<version>`.

Rollback requires the information: `<old-pkg-name>-<version>`.

```
# yum downgrade FJSVfsep-SV-12-1200-2.el7
Loaded plugins: langpacks, product-id, search-disabled-repos, subscription-manager
This system is not registered with an entitlement server. You can use subscription-manager to register.
Resolving Dependencies
--> Running transaction check
--> Package FJSVfsep-SV-12.x86_64 0:1200-2.el7 will be a downgrade
--> Package FJSVfsep-SV-12.x86_64 0:1200-4.el7 will be erased
--> Finished Dependency Resolution

Dependencies Resolved

=====
Package...          Arch...  Version...  Repository...  Size
=====
Downgrading:
FJSVfsep-SV-12...  x86_64...  1200-2.el7...  Artifactory...  33 M

Transaction Summary
=====
Downgrade  1 Package

Total download size: 33 M
Is this ok [y/d/N]: y
Downloading packages:
FJSVfsep-SV-12-1201-2.el7.x86_64.rpm... | 33 MB  00:00:03
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : FJSVfsep-SV-12-1200-2.el7.x86_64... 1/2
  Cleanup    : FJSVfsep-SV-12-1200-4.el7.x86_64... 2/2
  Verifying  : FJSVfsep-SV-12-1200-2.el7.x86_64... 1/2
  Verifying  : FJSVfsep-SV-12-1200-4.el7.x86_64... 2/2

Removed:
FJSVfsep-SV-12.x86_64 0:1200-4.el7

Installed:
FJSVfsep-SV-12.x86_64 0:1200-2.el7
```

```
Complete!
```

SLES procedure

To rollback a package, use `zypper in --oldpackage <old-pkg-name>`.

Rollback requires the old package name or version.

```
# zypper in --oldpackage FJSVfsep-SV-12-1200-2
Reading installed packages...
Resolving package dependencies...

The following package is going to be downgraded:
  FJSVfsep-SV-12

The following package has no support information from it's vendor:
  FJSVfsep-SV-12

1 package to downgrade.
Overall download size: 331.5 KiB. Already cached: 0 B. No additional space will be used or freed after the operation.
Continue? [y/n/...? shows all options] (y): y
Retrieving package FJSVfsep-SV-12-1200-2.x86_64... (1/1), 331.5 KiB (921.3 KiB unpacked)
Retrieving: FJSVfsep-SV-12-1200-2.x86_64.rpm... [done]

Checking for file conflicts: ... [done]
(1/1) Installing: FJSVfsep-SV-12-1200-2.x86_64
```

1.4.2 Rollback a package using downloaded RPM

This section describe how to rollback a package using a downloaded RPM.

To rollback a package using a downloaded RPM, use `rpm -U --oldpackage <old-RPM-pkg-name>`. If you have changed the installation directory to something other than the default, specify `[--prefix=installation directory]`.

```
#rpm -U --oldpackage FJSVfsep-SV-12-1201-1.x86_64.rpm
```

Verify that the package has been updated correctly.

```
# rpm -qa | grep FJSVfsep-SV-12
FJSVfsep-SV-12-1201-1.x86_64
```

Chapter 2 Apply a bug fix (MSI package)

This chapter describes how to download and apply MSI packages.

Fujitsu Enterprise Postgres 12 is used as an example in this chapter except for the tables in 2.1.2.

2.1 Package operations using downloaded MSI

This section describes package operations using the downloaded MSI, including:

- Download a package with GUI
- Update a package using the downloaded MSI
- Check for updated packages

2.1.1 Download package with GUI

This section describes how to download an MSI package with GUI operation.

2.1.1.1 Locate an MSI package


There are two options to locate an MSI package from Artifacts:

- Search Artifacts
- Browse Artifacts

2.1.1.2 Search Artifacts

This section describes how to search Artifacts.

- Locate Search Bar at the top of JFrog UI window.



- Enter the text to match the MSI package (e.g., postgresql12*).
- Select the MSI package from search result list.
- Click the link to selected to view the package details in the **Artifacts Tree** page.

Note

Free text search supports * and ? wildcards to help you narrow down your search.

For example, when searching for a package named FJSVfsep-CL-1200-0.msi, typing FJSVfsep-SV-12* will return a list of matching packages as a result.

2.1.1.3 Browsing Artifacts

This section describes how to browse Artifacts.

- Click **Artifactory > Artifacts** - this will open the **Artifacts Repository Browser** page.
- You can browse through repositories via mode below:
 - Tree browsing mode shows repositories as a tree
- Expand the nodes in a tree to locate an MSI package.
- Click to select and show the package details .

2.1.1.4 View an MSI package

This section describes how to view details of an MSI package.

Follow the steps below to view an MSI package.

- Locate and select an MSI package to show the package details page.
 - Click **General** tab to view the summary of the package.
 - Click **MSI Info** tab to view details of the package, including the information below:
 - Package Info
 - Provides
 - Change Log
 - Click **Propertires** tab to view the metadata of the package.

Note

Copy <PATH_TO_REPODATA_FOLDER> required in the Set Me Up section by following the steps below:

1. Select the immediate parent folder of the selected package from Tree Browser.
2. Locate **Repository Path:** and click **Copy to clipboard** to copy the patch.
Example: EnterprisePostgres_x86_64_CLIENT_Patch/12/CLIENT32/
3. Replace <PATH_TO_REPODATA_FOLDER> with 12/CLIENT32.

2.1.1.5 Download an MSI package

Follow the steps below to download an MSI package.

- Locate and select the MSI package.
 - Click **Download** and follow the instructions on the browser to save the package locally.

2.1.2 Update a package using the downloaded MSI

This section describes how to update a package to a specific version from a downloaded MSI.

- Copy the MSIs to the target machine before updating a package.
- From Programs and Features, uninstall the MSI package installed on the target machine.

The correspondence between the function name displayed in Programs and Features and the MSI package name is as follows.

| Feature name displayed in Programs and Features | MSI Package Name z: Show the microversion of FEP (0 or 1) r: Package version. |
|---|--|
| FUJITSU Enterprise Postgres Server 12/13 | FJSVfsep-SV-120z-r.msi FJSVfsep-SV-130z-r.msi |
| FUJITSU Enterprise Postgres Server Oracle Java 12/13 or FUJITSU Enterprise Postgres Server Oracle JDK 12/13 | FJSVfsep-SV-ORJ-1200-r.msi FJSVfsep-SV-ORJ-1300-r.msi |
| FUJITSU Enterprise Postgres Server Open Java 12/13 or FUJITSU Enterprise Postgres Server Open JDK 12/13 | FJSVfsep-SV-OPJ-1201-r.msi FJSVfsep-SV-OPJ-1301-r.msi |
| FUJITSU Enterprise Postgres pgaudit 12/13 | FJSVfsep-AUDIT-120z-r.msi FJSVfsep-AUDIT-130z-r.msi |
| FUJITSU Enterprise Postgres WebAdmin 12/13 | FJSVfsep-WAD-120z-r.msi FJSVfsep-WAD-130z-r.msi |
| FUJITSU Enterprise Postgres WebAdmin Oracle Java 12/13 or FUJITSU Enterprise Postgres WebAdmin Oracle JDK 12/13 | FJSVfsep-WAD-ORJ-1200-r.msi FJSVfsep-WAD-ORJ-1300-r.msi |
| FUJITSU Enterprise Postgres WebAdmin Open Java 12/13 or FUJITSU Enterprise Postgres WebAdmin Open JDK 12/13 | FJSVfsep-WAD-OPJ-1201-r.msi FJSVfsep-WAD-OPJ-1301-r.msi |
| FUJITSU Enterprise Postgres Server Assistant 12/13 | FJSVfsep-ARB-120z-r.msi FJSVfsep-ARB-130z-r.msi |
| FUJITSU Enterprise Postgres Server Assistant Oracle Java 12/13 or FUJITSU Enterprise Postgres Server Assistant Oracle JDK 12/13 | FJSVfsep-ARB-ORJ-1200-r.msi FJSVfsep-ARB-ORJ-1300-r.msi |

| | |
|---|--|
| FUJITSU Enterprise Postgres Server Assistant Open Java 12/13 or FUJITSU Enterprise Postgres Server Assistant Open JDK 12/13 | FJSVfsep-ARB-OPJ-1201-r.msi FJSVfsep-ARB-OPJ-1301-r.msi |
| FUJITSU Enterprise Postgres Client(32bit) 12/13 | FJSVfsep-CL-120z-r.msi |
| FUJITSU Enterprise Postgres Client(64bit) 12/13 | FJSVfsep-CL-130z-r.msi |
| FUJITSU Enterprise Postgres JDBC(32bit) 12/13 | FJSVfsep-JDBC-120z-r.msi |
| FUJITSU Enterprise Postgres JDBC(64bit) 12/13 | FJSVfsep-JDBC-130z-r.msi |
| FUJITSU Enterprise Postgres Npgsql-Tools(32bit) 12/13 | FJSVfsep-DOTNET-120z-r.msi |
| FUJITSU Enterprise Postgres Npgsql-Tools(64bit) 12/13 | FJSVfsep-DOTNET-130z-r.msi |
| FUJITSU Enterprise Postgres pgAdmin4(32bit) 12/13 | FJSVfsep-ADMIN4-120z-r.msi |
| FUJITSU Enterprise Postgres pgAdmin4(64bit) 12/13 | FJSVfsep-ADMIN4-130z-r.msi |
| FUJITSU Npgsql .NET Data Provider GAC Register For .NET 4.5 FUJITSU Enterprise Postgres Npgsql 13 | FJSVfsep-Npgsql-120z-r.msi FJSVfsep-Npgsql-130z-r.msi |
| FUJITSU psqLODBC FUJITSU Enterprise Postgres psqLODBC(32bit) 13 | FJSVfsep-ODBC-120z-r.msi FJSVfsep-ODBC-130z-r.msi |
| FUJITSU psqLODBC_x64 FUJITSU Enterprise Postgres psqLODBC(64bit) 13 | |

※ Do not uninstall packages other than those listed in the table above.

Note


Delete the folder after uninstallation in the following cases.

| | |
|---|---|
| Feature name displayed in Programs and Features | Delete Folder |
| FUJITSU Enterprise Postgres Server Open Java 12/13 or FUJITSU Enterprise Postgres Server Open JDK 12/13 | <Installation destination of the Server>%mc |
| FUJITSU Enterprise Postgres WebAdmin Open Java 12/13 or FUJITSU Enterprise Postgres WebAdmin Open JDK 12/13 | <Installation destination of the WebAdmin>%jre |
| FUJITSU Enterprise Postgres Server Assistant Open Java 12/13 or FUJITSU Enterprise Postgres Server Assistant Open JDK 12/13 | <Installation destination of the Server assistant>%mc |


For Npgsql, you must verify the features installed before uninstalling.

Use the following procedure to determine which features are installed.


1. Open Programs and Features and.
2. Right-click " FUJITSU Npgsql .NET Data Provider GAC Register For .NET 4.5" and select [Change].




3. In the Setup Wizard that appears, select [Next].



4. Select [Change] on the next screen.




5. Checked the Custom Setup screen for installed features. Items not marked with "X" are installed functions. Record the information you need when updating the package.




- Install the downloaded MSI package.

[For Npgsql]

Double-click "FJSVfsep-Npgsql-120z-r.msi" in the client 32 bit or client 64 bit package, and select [Next] in the Welcome screen.



On the Select Installation Features screen, check the features you checked before uninstalling and select [Next].



On the next screen, select [Install] to begin the installation.


If the User Account Control screen appears, select [Yes] to continue with the installation.

[For non-Npgsql]

Double-click the MSI package you want to update and select [Next] in the Welcome screen.



[for ODBC]



※ Specify "[Install Directory] \ODBC".


Example : C:\Program Files\Fujitsu\fssep12client32\odbc

On the next screen, select [Install] to begin the installation.

If the User Account Control screen appears, select [Yes] to continue with the installation.

Specify the installation folder.

[For non-ODBC]



2.2 Other operations

This section describes package operations, including:

- Rolling back a package using downloaded MSI

2.2.1 Rollback a package

This section describes how to roll back an MSI package.

1) Download the MSI you want to restore. Copy the downloaded MSI to the target machine.

Refer to "Downloading Packages Using the GUI" in Section 2.1. 1 for details.

2) The following procedure is the same as the package update procedure.

Refer to 2.1. 2 Updating Packages with Downloaded MSI Packages to perform a package rollback.

Chapter 3 Critical patch updates and important information regarding FUJITSU Enterprise Postgres

For information on FUJITSU Enterprise Postgres, refer to the following pages:

<https://www.postgresql.fastware.com/fujitsu-support-engineering>