

# Fujitsu Enterprise Postgres

## Urgent notification

### Global Support News and IMPORTANT update information - No. GSI26-H011-01

This is to inform you of the impact on Fujitsu Enterprise Postgres of the recent security vulnerability [CVE-2026-6477](#) reported by OSS PostgreSQL community.

Fujitsu Limited

May 15, 2026

### Incident Information

[Incident management number] PH25253, PH25254, PH25255, PH25256, PH25257

- Description:

In libpq's PQfn(), when handling non-integer results, the size of the output buffer was not provided to PQfn(). As a result, insufficient validation of the validity of the data length returned by the server may cause overwriting client memory.

This is CVE-2026-6477 vulnerability reported by PostgreSQL community.

- Products and versions affected:

**Version 14:**

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 for Linux

FUJITSU Enterprise Postgres Advanced Edition 14 for Windows

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 for Linux on Z

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 for Linux on IBM Power(R)

FUJITSU Enterprise Postgres Standard Edition 14 for Linux

FUJITSU Enterprise Postgres Standard Edition 14 for Windows

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 Operator Bundle for Kubernetes

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 Operator Bundle for Kubernetes on Z

FUJITSU Enterprise Postgres Advanced Edition 14/14SP1 Operator Bundle for Kubernetes on IBM Power(R)

**Version 15:**

Fujitsu Enterprise Postgres Advanced Edition 15/15SP1/15SP2 for Linux

Fujitsu Enterprise Postgres Advanced Edition 15 for Windows

Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 15 for Linux

Fujitsu Enterprise Postgres Advanced Edition 15/15SP1/15SP2 for Linux on Z

Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 15 for Linux on Z  
Fujitsu Enterprise Postgres Advanced Edition 15 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 15 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Standard Edition 15/15SP1 for Linux  
Fujitsu Enterprise Postgres Standard Edition 15 for Windows  
Fujitsu Enterprise Postgres Advanced Edition 15/15SP1/15SP2 Operator Bundle for Kubernetes  
Fujitsu Enterprise Postgres Advanced Edition 15/15SP1/15SP2 Operator Bundle for Kubernetes on Z  
Fujitsu Enterprise Postgres Advanced Edition 15 Operator Bundle for Kubernetes on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 15 for Kubernetes

#### **Version 16:**

Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 for Linux  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 for Windows  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 16 for Linux  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 for Linux on Z  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 16 for Linux on Z  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 16 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Standard Edition 16/16SP1 for Linux  
Fujitsu Enterprise Postgres Standard Edition 16/16SP1 for Windows  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 Operator Bundle for Kubernetes  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 Operator Bundle for Kubernetes on Z  
Fujitsu Enterprise Postgres Advanced Edition 16/16SP1 Operator Bundle for Kubernetes on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 16 for Kubernetes

#### **Version 17:**

Fujitsu Enterprise Postgres Advanced Edition 17/17SP1/17SP2 for Linux  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1/17SP2 for Windows  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 17 for Linux  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1 for Linux on Z  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 17 for Linux on Z  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 17 for Linux on IBM Power(R)  
Fujitsu Enterprise Postgres Standard Edition 17/17SP1/17SP2 for Linux  
Fujitsu Enterprise Postgres Standard Edition 17/17SP1/17SP2 for Windows  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1/17SP2 Operator Bundle for Kubernetes  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1 Operator Bundle for Kubernetes on Z  
Fujitsu Enterprise Postgres Advanced Edition 17/17SP1 Operator Bundle for Kubernetes on IBM Power(R)  
Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 17 for Kubernetes

#### **Version 18:**

Fujitsu Enterprise Postgres Advanced Edition 18/18SP1 for Linux

Fujitsu Enterprise Postgres Advanced Edition 18/18SP1 for Windows  
 Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 18 for Linux  
 Fujitsu Enterprise Postgres Standard Edition 18/18SP1 for Linux  
 Fujitsu Enterprise Postgres Standard Edition 18/18SP1 for Windows  
 Fujitsu Enterprise Postgres Advanced Edition 18/18SP1 Operator Bundle for Kubernetes  
 Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module 18 for Kubernetes

Report classification	<input checked="" type="checkbox"/> Incident	<input type="checkbox"/> Degradation (EVL-UP)	<input type="checkbox"/> Cautions
	<input type="checkbox"/> Application recommended		
Impact on operation	Handling non-integer results in libpq's PQfn() may cause overwriting client memory.		
Recovery tasks	<input type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	
Occurrence frequency	<input checked="" type="checkbox"/> Always	<input type="checkbox"/> Rarely	<input type="checkbox"/> Random
	<input type="checkbox"/> Other ()		
Workaround	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	

## Detailed Information

### 1. Issue and conditions to reproduce issue

#### [Issue]

In libpq's PQfn(), when handling non-integer results, the size of the output buffer was not provided to PQfn(). As a result, insufficient validation of the validity of the data length returned by the server may cause overwriting client memory.

#### [Environment]

- Linux
- Windows

#### [Conditions]

- 1) Use libpq's PQfn(). AND
- 2) Handle non-integer results.

### 2. Cause

There were issues in using libpq's PQfn().

### 3. How to avoid the issue

Apply patch when released by Fujitsu.

A community patch (for version 14-18) will be released soon, and a corresponding Fujitsu Enterprise Postgres patch (for version 14-18) to follow. A notification will be sent to when the patch is made available.

#### [Workaround]

None.

4. Recovery measures after the issue occurs

None.

5. Other

None.

[Revision history]

First edition

© Fujitsu 2026. All rights reserved. Fujitsu and Fujitsu logo are trademarks of Fujitsu Limited registered in many jurisdictions worldwide. Other product, service and company names mentioned herein may be trademarks of Fujitsu or other companies. This document is current as of the initial date of publication and subject to be changed by Fujitsu without notice. This material is provided for information purposes only and Fujitsu assumes no liability related to its use.