

# Fujitsu Enterprise Postgres 17 Advanced Edition with Cryptographic Module

## Read First

Linux

J2UL-3002-01PEZ0(00)  
November 2024

# Preface

---

## Purpose of this document

This document provides an overview of the Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module, its features, and how to install it.

Read this before using Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

## Intended readers

This document is intended for use with Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

## Export restrictions

Exportation/release of this document may require necessary procedures in accordance with the regulations of your resident country and/or US export control laws.

## Issue date and version

Edition 1.0: November 2024
----------------------------

## Copyright

Copyright 2024 Fujitsu Limited

# Contents

---

Chapter 1 Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module Basics.....	1
1.1 Feature Differences from Fujitsu Enterprise Postgres Advanced Edition.....	1
1.2 Operating Environment.....	1
1.2.1 Required Operating System.....	2
1.3 Install.....	2
1.4 Setup.....	3
1.5 Uninstall.....	3
1.6 Application Development.....	3

# Chapter 1 Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module Basics

Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module is a product that is configured to use algorithms that are approved by the security requirements for cryptographic modules (FIPS 140), one of the FIPS (Federal Information Processing Standard) standards.

The Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module provides the same feature as the Fujitsu Enterprise Postgres Advanced Edition.

This chapter describes the differences between Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module and Fujitsu Enterprise Postgres Advanced Edition regarding the features, operating environment, installation, setup, and application development.

## 1.1 Feature Differences from Fujitsu Enterprise Postgres Advanced Edition

### Encryption features

If you use a cryptographic module provided by Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module, you cannot use "[Algorithms not approved for FIPS 140](#)", so the following cryptographic functionality differences exist:

- Saving Passwords in md5 format on the server  
Use the default scram-sha-256.
- Some algorithms used to connect and authenticate using SSL  
Not only are they not available as encryption algorithms for communication paths, but they are also not available as signature algorithms for certificates, encryption algorithms for encrypting and storing private keys, and so on.
- The following are not available
  - md5 in SQL functions
  - Some algorithms of the extension module pgcrypto
  - Some functions of the extension module uuid-ossdp

Algorithms not approved for FIPS 140

Classification	Details
Algorithms	BF, CAST, DES, DESX, IDEA, RC2, RC4, RC5, SEED, ARIA, CAMELLIA, SM4
Digest	MD2, MD4, MDC2, DES, RIPEMD-160, WHIRLPOOL, BLAKE2, SM3, MD5, MD5-SHA1
MAC	BLAKE2, CMAC, KMAC, POLY1305, SIPHASH
KDF	KBKDF, KRB5KDF, SCRYPT, X942KDF, X963KDF
Asymmetric keys	RSA-PSS, RSA-OAEP, SM2
Asymmetric encryption	RSAES-OAEP

### Application development

JDBC driver

Prepare the Java runtime required for your application to work with the JDBC driver. The implementation of the encryption algorithms used to connect these applications to the database server is provided by the runtime.

## 1.2 Operating Environment

Describes the operating environment for Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

## 1.2.1 Required Operating System

---

One of the operating systems shown below is required in order to use Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

- RHEL8.6 or later minor version
- RHEL9.2 or later minor version
- SLES 15 SP5 or later minor version

### Using RHEL

To use the JDBC driver, WebAdmin, and the database multiplexing feature, the following packages are required in addition to those listed in the "Required Operating System" in the Fujitsu Enterprise Postgres Installation and Setup Guide for Server.

- java-17-openjdk

For the RHEL versions listed below, please install the version listed or later.

- RHEL 8.6: 17.0.5.0.8-3.el8\_6 or later
- RHEL 8.7: 17.0.5.0.8-4.el8\_7 or later

### Using SLES

To use the JDBC driver, WebAdmin, and the database multiplexing feature, the following packages are required in addition to those listed in the "Required Operating System" in the Fujitsu Enterprise Postgres Installation and Setup Guide for Server.

- java-17-openjdk

### When SELinux is enabled

If the boolean `selinuxuser_execstack` is off (`allow_execstack` is off) in an SELinux-enabled environment, programs that directly or indirectly link cryptographic modules provided by Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module may not work correctly. These programs include Fujitsu Enterprise Postgres server and client commands and application programs that link `libpq` or `libecpg`. Set up SELinux to grant `execstack` rights to these programs.

## 1.3 Install

---

Describes the install for Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

### Advance preparation (for SLES)

Before installation, specify the installation directory of JRE 8 in the `JAVA_HOME` environment variable. If you specify OpenJDK 1.8 that comes with SLES, specify `-Dcom.suse.fips=false` in the `JAVA_TOOL_OPTIONS` environment variable, export it, and then install it. After installation, specify an empty string in the `JAVA_TOOL_OPTIONS` environment variable and export it.

Example)

```
# JAVA_TOOL_OPTIONS=-Dcom.suse.fips=false ./install.sh
```

### Install

To use Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module, you must install the cryptographic module. Use the `rpm` command to install version 3 of the encryption package (`rpm`) on each machine where you want to install the following features of the Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module:

- Server feature
- Pgpool-II
- Client feature

Cryptographic package (`rpm`)

Operating System	Package (path)
RHEL8	CRYPTO/Linux/packages/r80ppc64le/FJSVfsep-CRYPTO-*.rpm
RHEL9	CRYPTO/Linux/packages/r90ppc64le/FJSVfsep-CRYPTO-*.rpm
SLES 15	CRYPTO/Linux/packages/SUSE15ppc64le/FJSVfsep-CRYPTO-*.rpm

\*is the version, OS, etc.

The disk space required to install the cryptographic package(rpm) is 50 megabytes.

For more information on how to install, refer to the Fujitsu Enterprise Postgres Installation and Setup Guide for Server and the Fujitsu Enterprise Postgres Installation and Setup Guide for Client.



You should not specify the openssl\_conf and openssl\_modules parameters in postgresql.conf.

## 1.4 Setup

Describes the setup for Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

### Using the database multiplexing feature

If Mirroring Controller connects to an instance with SSL, set the following in the server definition files of the primary server and standby server. For more information, refer to "Creating, Setting, and Registering the Primary Server Instance" in the Fujitsu Enterprise Postgres Cluster Operation Guide(Database Multiplexing).

- db\_instance\_ext\_jdbc\_conninfo

If you are using a Red Hat build of OpenJDK on RHEL to connect via SSL, or if you are using the OpenJDK that comes with SLES to connect via SSL, add the following to your connection parameters:

```
sslfactory=org.postgresql.ssl.DefaultJavaSSLFactory
```

Use the NSS database for storing certificates and private keys. To enable the JDBC driver to access the NSS database, specify the properties you want to specify for the JVM startup options in the environment variable JAVA\_TOOL\_OPTIONS.

## 1.5 Uninstall

Describes the uninstall for Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

### Advance preparation (for SLES)

Before uninstallation, make sure that JRE 8 is installed and export the JAVA\_HOME environment variable. If you want to specify OpenJDK 1.8 that comes with SLES, specify -Dcom.suse.fips=false in the JAVA\_TOOL\_OPTIONS environment variable, export it, and then uninstall. After uninstalling, specify the JAVA\_TOOL\_OPTIONS environment variable as an empty string and export it.

## 1.6 Application Development

Describes the application development for Fujitsu Enterprise Postgres Advanced Edition with Cryptographic Module.

### Applications using the JDBC driver

If you are using a Red Hat build of OpenJDK on RHEL to connect via SSL, or if you are using the OpenJDK that comes with SLES to connect via SSL, add the following to your connection parameters:

```
sslfactory=org.postgresql.ssl.DefaultJavaSSLFactory
```

Use the NSS database as the keystore and truststore. Specify the JVM startup options so that the JDBC driver can access the NSS database.